

## FEATURES-SPECIFICATIONS

### Applications


Rectangular glass lens windows can be factory installed to enable viewing of digital read out meters and devices such as:


- Volt meters
- Flow meters
- Gas analyzers
- Process receivers, transmitters and controllers

### Ordering Information

Rectangular lens option must be factory installed and ordered in conjunction with appropriate EXB Series enclosure. See page E25. Submit drawing or sketch to specify lens arrangement. Consult factory for multi-lens arrangements.

GLXR RECTANGULAR LENS COVER ASSEMBLIES								
CATALOG NUMBER	VIEWING AREA		MINIMUM SPACE		OTHER DIMENSIONS			
	A	B	C	D	E	F	G	H
GLXR13	1"	3"	4.5"	6.5"	.5"	1.5"	2.25"	3.25"
GLXR24	2"	4"	5.5"	7.5"	1"	2"	2.75"	3.75"
GLXR27	2"	7"	5.5"	10.5"	1"	3.5"	2.75"	5.25"
GLXR34	3.5"	4"	7"	7.5"	1.75"	2"	3.5"	3.75"
GLXR36	3"	6"	6.5"	9.5"	1.5"	3"	3.25"	4.75"
GLXR47	4"	7"	7.5"	10.5"	2"	3.5"	3.75"	5.25"
GLXR59	5"	9"	8.5"	12.5"	2.5"	4.5"	4.25"	6.25"
GLXR99	9"	9"	12.5"	12.5"	4.5"	4.5"	6.25"	6.25"





**FEATURES-SPECIFICATIONS**

**GLXR LAYOUT GUIDE**

CATALOG NUMBER	USEABLE COVER AREA		Z = MAXIMUM CENTER LINE OF COVER TO CENTERLINE OF GLASS LENS							
	X	Y	GLXR13	GLXR24	GLXR27	GLXR34	GLXR36	GLXR47	GLXR59	GLXR99
EXB-664 N34	5"	5"	N	N	N	N	N	N	N	N
EXB-886 N34	7"	7"	1-1/4"	3/4"	N	N	N	N	N	N
EXB-8104 N34	7"	9"	2-1/4"	1-3/4"	N	1"	N	N	N	N
EXB-8106 N34	7"	9"	2-1/4"	1-3/4"	N	1"	N	N	N	N
EXB-8126 N34	7"	11"	3-1/4"	2-3/4"	R •	2"	R •	N	N	N
EXB-8128 N34	7"	11"	3-1/4"	2-3/4"	R •	2"	R •	N	N	N
EXB-10106 N34	9"	9"	2-1/4"	1-3/4"	N	1"	N	N	N	N
EXB-10108 N34	9"	9"	2-1/4"	1-3/4"	N	1"	N	N	N	N
EXB-10146 N34	9"	13"	4-1/4"	3-3/4"	R	3"	R	R	R	N
EXB-10148 N34	9"	13"	4-1/4"	3-3/4"	R	3"	R	R	R	N
EXB-12126 N34	10"	10"	2-3/4"	2-1/4"	2-1/4"	1-1/2"	1-3/4"	1-1/4"	N	N
EXB-12128 N34	10"	10"	2-3/4"	2-1/4"	2-1/4"	1-1/2"	1-3/4"	1-1/4"	N	N
EXB-12186 N34	10"	16"	5-3/4"	5-1/4"	5-1/4"	4-1/2"	4-3/4"	4-1/4"	R •	N
EXB-12188 N34	10"	16"	5-3/4"	5-1/4"	5-1/4"	4-1/2"	4-3/4"	4-1/4"	R •	N
EXB-12246 N34	10-1/4"	2-1/4"	8-7/8"	8-3/8"	8-3/8"	7-5/8"	7-7/8"	7-3/8"	R	N
EXB-12248 N34	10-1/4"	2-1/4"	8-7/8"	8-3/8"	8-3/8"	7-5/8"	7-7/8"	7-3/8"	R	N
EXB-122412 N34	10-1/4"	2-1/4"	8-7/8"	8-3/8"	8-3/8"	7-5/8"	7-7/8"	7-3/8"	R	N
EXB-12368 N34	11"	35"	15-1/4"	14-3/4"	14-3/4"	14"	14-1/4"	13-3/4"	R •	N
EXB-123610 N34	11"	35"	15-1/4"	14-3/4"	14-3/4"	14"	14-1/4"	13-3/4"	R •	N
EXB-14146 N34	13"	13"	4-1/4"	3-3/4"	3-3/4"	3"	3-1/4"	2-3/4"	2-1/4"	*
EXB-14148 N34	13"	13"	4-1/4"	3-3/4"	3-3/4"	3"	3-1/4"	2-3/4"	2-1/4"	*
EXB-16166 N34	14"	14"	4-3/4"	4-1/4"	4-1/4"	3-1/2"	3-3/4"	3-1/4"	2-3/4"	3/4"
EXB-16168 N34	14"	14"	4-3/4"	4-1/4"	4-1/4"	3-1/2"	3-3/4"	3-1/4"	2-3/4"	3/4"
EXB-16248 N34	14"	22"	8-3/4"	8-1/4"	8-1/4"	7-1/2"	7-3/4"	7-1/4"	6-3/4"	4-3/4"
EXB-162410 N34	14"	22"	8-3/4"	8-1/4"	8-1/4"	7-1/2"	7-3/4"	7-1/4"	6-3/4"	4-3/4"
EXB-18186 N34	16"	16"	5-3/4"	5-1/4"	5-1/4"	4-1/2"	4-3/4"	4-1/4"	3-3/4"	1-3/4"
EXB-18188 N34	16"	16"	5-3/4"	5-1/4"	5-1/4"	4-1/2"	4-3/4"	4-1/4"	3-3/4"	1-3/4"
EXB-18248 N34	16"	22"	8-3/4"	8-1/4"	8-1/4"	7-1/2"	7-3/4"	7-1/4"	6-3/4"	4-3/4"
EXB-182410 N34	16"	22"	8-3/4"	8-1/4"	8-1/4"	7-1/2"	7-3/4"	7-1/4"	6-3/4"	4-3/4"
EXB-18368 N34	16"	34"	14-3/4"	14-1/4"	14-1/4"	12-1/2"	13-3/4"	12-1/4"	11-3/4"	10-3/4"
EXB-183610 N34	16"	34"	14-3/4"	14-1/4"	14-1/4"	12-1/2"	13-3/4"	12-1/4"	11-3/4"	10-3/4"
EXB-203611 N34	18-7/8"	34-7/8"	15-3/16"	14-11/16"	14-11/16"	13-15/16"	14-3/16"	13-11/16"	13-3/16"	11-3/16"
EXB-24248 N34	22"	22"	8-3/4"	8-1/4"	8-1/4"	7-1/2"	7-3/4"	7-1/4"	6-3/4"	4-3/4"
EXB-242410 N34	22"	22"	8-3/4"	8-1/4"	8-1/4"	7-1/2"	7-3/4"	7-1/4"	6-3/4"	4-3/4"
EXB-24368 N34	22"	34"	14-3/4"	14-1/4"	14-1/4"	12-1/2"	13-3/4"	12-1/4"	12-3/4"•	10-3/4"
EXB-243610 N34	22"	34"	14-3/4"	14-1/4"	14-1/4"	12-1/2"	13-3/4"	12-1/4"	12-3/4"•	10-3/4"

Symbols: N = Enclosure will not accommodate this lens size  
 R = Rotate lens 90°, consult factory for layout assistance  
 • = Voids UL/CSA/CENELEC certifications  
 \* = Indicates center line